

COVID-19 FDA or WHO FULL-APPROVAL OR EUA APPROVED VACCINES

Manufacturer / Vaccine Name	Single Dose or Series	Primary Series Verification Allowances (Trojan Check Logic)	Time Frame
Pfizer/BioNTech (Comirnaty®) <i>mRNA</i>	2 dose series	<ul style="list-style-type: none"> • 2 matching Pfizer • 1 dose Pfizer and 1 non-matching dose of any other vaccine approved by the WHO (not Moderna) 	2 nd dose to be received 3 weeks after 1 st ; 21-42 days apart
Moderna (Spikevax) <i>mRNA</i>	2 dose series	<ul style="list-style-type: none"> • 2 matching Moderna • 1 dose Moderna and 1 non-matching dose of Pfizer 	2 nd dose to be received 4 weeks after 1 st
Johnson & Johnson /Janssen <i>Viral Vector</i>	Single dose	<ul style="list-style-type: none"> • One dose J&J 	Booster allowed at least 2 mo. after last dose
AstraZeneca* (Vaxzevria) <i>Viral Vector</i>	2 dose series	<ul style="list-style-type: none"> • 2 matching AZ • 1 dose AZ and one dose of Pfizer or any other vaccine approved by the WHO(not Moderna) 	2 nd dose to be given 4 – 12 weeks after 1 st dose
Sinopharm/BIBP* <i>Inactivated Virus</i>	2 dose series	<ul style="list-style-type: none"> • 2 Sinopharm-BIBP • 1 dose sinopharm and one dose of Pfizer or any other vaccine approved by the WHO(not Moderna) 	2 nd dose to be received 3 – 4 weeks after 1 st dose 21- 28 days apart
Sinovac* (CoronaVac) <i>Inactivated Virus</i>	2 dose series	<ul style="list-style-type: none"> • 2 matching Sinovac-CoronaVac • 1 dose sinovac and one dose of Pfizer or any other vaccine approved by the WHO(not Moderna) 	2 nd dose to be received 2 – 4 weeks after 1 st dose; 14 - 28 days
Covovax™* <i>Protein Subunit</i>	2 dose series	<ul style="list-style-type: none"> • 2 matching Covovax • 1 dose Covovax and one dose of Pfizer or any other vaccine approved by the WHO(not Moderna) 	2 nd dose to be received 3-4 weeks after 1 st dose; 21-28 days
Nuvaxovid™* (Novavax) <i>Protein Subunit</i>	2 dose series	<ul style="list-style-type: none"> • 2 matching Novavax • 1 dose Novavax and one dose of Pfizer or any other vaccine approved by the WHO(not Moderna) 	2 nd dose to be received 3-4 weeks after 1 st dose; 21-28 days
Non-WHO Approved Vaccines: Sinopharm WIBP, CoviVac, CanSino-Convidecia, EpiVacCorona, Sputnik V		<ul style="list-style-type: none"> • Restart primary series with approved vaccine Pfizer/Moderna/J&J 	28 days after last dose of non- approved series

*guidelines are for individuals NOT at increased risk due to moderate or severe immunocompromise

Overview:

<p>The following <u>FDA-approved</u> (emergency use authorization, EUA and FDA approved) vaccines are <u>accepted</u> for meeting COVID-19 vaccine requirements:</p>	<p>Pfizer/BioNTech (Comirnaty®) — 2 doses Moderna (Spikevax) — 2 doses Johnson & Johnson/Janssen — single dose</p>
<p>The following <u>WHO-approved</u> (emergency use listing, EUL) vaccines are <u>accepted</u> for meeting COVID-19 vaccine requirements:</p>	<p>AstraZeneca* (Vaxzevria) Covovax™* Covishield™* Covaxin®* Nuvaxovid™* (Novavax) Sinovac* (CoronaVac) Sinopharm/BIBP*</p>