



Fire Statistics for Residential Facilities McNichols Campus - 2015

*All Residential Housing is located at 4001 W. McNichols Road, Detroit, MI 48221

Residential Facilities	Total Fires in Each Building	Fire Number	Cause of Fire	Number of Injuries That Required Treatment at a Medical Facility	Number of Deaths Related to a Fire	Value of Property Damage Caused by Fire
Holden Hall	0	N/A	N/A	0	0	N/A
Shiple Hall	0	N/A	N/A	0	0	N/A
North Quad	0	N/A	N/A	0	0	N/A
South Quad	0	N/A	N/A	0	0	N/A
East Quad	0	N/A	N/A	0	0	N/A
West Quad	0	N/A	N/A	0	0	N/A

Residential Facility	Fire System Monitored by Public Safety	Building Equipped with Fire Alarms	Building Equipped with Smoke Detectors	Number of Evacuation Drills Conducted
Holden Hall	Yes	Yes	Yes	2
Shiple Hall	Yes	Yes	Yes	2
North Quad	Yes	Yes	Yes	2
South Quad	Yes	Yes	Yes	2
East Quad	Yes	Yes	Yes	2
West Quad	Yes	Yes	Yes	2
Quad Commons	Yes	Yes	Yes	2

Fire Statistics for Residential Facilities McNichols Campus – 2014

* All Residential Housing is located at 4001 W. McNichols Road, Detroit, MI 48221

Residential Facilities	Total Fires in Each Building	Fire Number	Cause of Fire	Number of Injuries That Required Treatment at a Medical Facility	Number of Deaths Related to a Fire	Value of Property Damage Caused by Fire
Holden Hall	0	N/A	N/A	0	0	N/A
Shiple Hall	01	01	Unintentional/ Cooking	0	0	0 - \$99.00
North Quad	0	N/A	N/A	0	0	N/A
South Quad	0	N/A	N/A	0	0	N/A
East Quad	0	N/A	N/A	0	0	N/A
West Quad	0	N/A	N/A	0	0	N/A

Fire Statistics for Residential Facilities McNichols Campus - 2013

* All Residential Housing is located at 4001 W. McNichols Road, Detroit, MI 48221

Residential Facilities	Total Fires in Each Building	Fire Number	Cause of Fire	Number of Injuries That Required Treatment at a Medical Facility	Number of Deaths Related to a Fire	Value of Property Damage Caused by Fire
Holden Hall	0	N/A	N/A	0	0	N/A
Shiple Hall	0	N/A	N/A	0	0	N/A
North Quad	0	N/A	N/A	0	0	N/A
South Quad	0	N/A	N/A	0	0	N/A
East Quad	0	N/A	N/A	0	0	N/A
West Quad	0	N/A	N/A	0	0	N/A